

TABLE OF CONTENTS

ITP TIRES

CRYPTID	4
MAMMOTH MAYHEM	6
MONSTER MAYHEM	7
MEGA MAYHEM	7
MAYHEM	8
MUD LITE AT/XL	9
MUD LITE XXL	10
MUD LITE SP/XTR	11
BLACKWATER EVOLUTION	12
TERRACROSS R/T	13
BAJACROSS X/D / SPORT	14
SAND STAR	15
DUNE STAR	15
ULTRACROSS R SPEC/R SPEC RACE	17
HOLESHOT ATR	18
HOLESHOT XCT/MXR6	19
HOLESHOT XC/STD	20
HOLESHOT H-D/GNCC	21
QUADCROSS MX	22
TURF TAMER CLASSIC MX	22

THE WEST

ITP WHEELS

SD SINGLE BEADLOCK	22
SD DUAL BEADLOCK	23
HURRICANE STORM SERIES	24
TSUNAMI STORM SERIES	26
TORNADO STORM SERIES	28
SS™ 216	30
SS™ 316	31
SS ALLOY SS™ 212/312	32
DELTA STEEL	33
A-6 PRO SERIES	34
A-6 PRO SERIES GP .190	34
A-6 TRAC-LOCK .190	34
A-6 PRO SERIES BAJA .190	35
A-6 PRO MOD	35
ABOUT ITP/CARLSTAR	36

CORQUERING THE WORLD'S MOST CHALLENGING TERRAIN



INDUSTRY-LEADING PERFORMANCE

ITP tires and wheels meet the demands of today's off-road enthusiasts by delivering unequalled traction, precise handling and exceptional durability to overcome the world's most challenging terrain. In the lab and on the test field, the ITP team works hands-on to ensure that each tire made outperforms the competition.

BUILT FOR THE WORLD - MADE IN THE U.S.A.

ITP tires are made in America – individually hand-crafted in Clinton, Tennessee. As supporters of American ingenuity and product quality, the ITP team is proud to be a part of locally built tires for worldwide customers.

NEVER STOP PUSHING

The imaginative engineering team at ITP continually pushes the envelope with tire-and-wheel innovations that answer demands for new vehicle introductions, durability requirements and fitment upgrades.

ITP: The World's #1 ATV/UTV Aftermarket Tire & Wheel Source.

Everything you need to conquer the world's most challenging terrain.





THE CRYPTID TIRE SPECIALIZES IN CONQUERING THE **GNARLIEST MUCK. THIS SWAMP-MONSTER FEATURES MUD-CHURNING PERFORMANCE, UNMATCHED SIZE** AND TRAIL VERSATILITY.

- »» Graduated lug height 1.5 inches at center; 2 inches at shoulder improves entry and exit capabilities in bogs and overall riding comfort.
- »» 6-ply rated construction made with "TOUGH TREAD" rubber compound to resist chips, abrasions and cuts.
- »» Computer-aided directional tread design with Chevron-shaped lugs for unequaled forward traction.
- »» Available in four sizes, including the massive 36-inch diameter version.

SIZE	PLY P/N
30 X 10-14	6 6P0347
32 X 10-15	6 6P0348
34 X 10-17	6 6P0349
36 X 10-17	6 6P0350



TIRE HAS A HANKERING FOR MUD AND IS A DEFINITE GAME CHANGER.

MANAOTH MAYNEM CECE



MASSIVE TRACTION, ENRAGED ATTITUDE AND DURABLE PERFORMANCE - MAMMOTH MAYHEMT **MEANS SUPREME** TRACTION WHEN IT MATTERS MOST.

- »» Large, extra-deep, 2-inch lugs for enhanced push and thrust through deep mud.
- »» Mammoth-sized claws supply astonishing traction and dependable selfcleaning properties.
- »» ALL Mayhems are built with extended wear rubber and unique tread pattern.

MAMMOTH MAYHEM

SIZE	PLY	P/N
32X10-14	6	6P0198

MORSTER MAYHEM

A REAL FIREBALL OF A MUD TIRE, WITH A 1-3/4-INCH LUG DEPTH, **DESIGNED TO PULL YOU** THROUGH THE DEEP JUNK -- AND SUPPLY A SMOOTH RIDE ON THE TRAIL.

»» An extra-tall, 30inch size gives utility ATVs and UTVs an even more menacing appearance and functionality.

MONSTER MAYHEM

	SIZE	PLY	P/N
ı	30X9-14	6	6P0105
	30X10-14	6	6P0104

MEGA MAYKEM

A MEGA ORNERY MUD TIRE WITH A 1-1/2-INCH TREAD DEPTH.

- »» Offers the best of both worlds: Power for the muck: precision control for the trail.
- »» An additional 1/2 inch of tread over the Mayhem™.

MEGA MAYHEM

PLY P/N SIZE 27X9-12 6P0035 27X11-12 6P0037 6P0032 27X9-14 27X11-14 6P0033

MEGA MAYHEM

SIZE	PLY	P/N
28X9-12	6	6P0051
28X11-12	6	6P0043
28X9-14	6	6P0052
28X11-14	6	6P0044





THE MAYHEM™ IS LIGHTWEIGHT, DURABLE AND DOWNRIGHT VERSATILE. 1-INCH LUG HEIGHT.

- »» Durable, yet-lightweight carcass with a 6-ply rating for trail handling and comfort.
- Directional tread pattern supplies smooth traction.

MAYHEM

SIZE	PLY	P/N
25X8-12	6	6P0030
25X10-12	6	6P0031
26X9-12	6	560588
26X11-12	6	560590







MUD LITE AT: 3/4-IN. LUG; MUD LITE XL: 1-1/8-IN. LUG.

- »» A genuine, multi-purpose 6-ply rated tire designed for the mud and the trail.
- »» Center tread contact patch provides a radial-like ride.
- »» Unbeatable performance and affordability.

MUD LITE™ AT: 3/4-IN. LUG

FIRE U.S.		
SIZE	PLY	P/N
22X11-8	6	56A387
22X11-9	6	56A388
25X12-9	6	56A373
22X8-10	6	56A3A8
22X11-10	6	56A3A5
23X8-10	6	56A326
23X10-10	6	56A327
24X11-10	6	56A305
25X11-10	6	56A308
27X12-10	6	56A318
23X8-11	6	56A304
24X8-11	6	56A332
24X9-11	6	56A3A9
24X10-11	6	56A328
25X8-11	6	56A320
25X10-11	6	56A322
24X8-12	6	560430
25X8-12	6	56A306
25X10-12	6	56A321

MUD	LIT	ETM	XL	(SHOWN):
1-1/8-	IN.	LU	G	

IZE	PLY	P/N
5X12-11	6	560431
5X8-12	6	560363
5X10-12	6	560364
5X12-12	6	560432
6X9-12	6	56A3P6
6X10-12	6	56A343
6X12-12	6	56A361
7X9-12	6	56A380
7X10-12	6	56A345
7X12-12	6	56A347
7X10-14	6	560455
7X12-14	6	560456
BX10-12	6	56A349
BX12-12	6	56A350
BX10-14	6	560494
BX12-14	6	560495

WUD LITE XXL

THIRTY INCHES OF MEAN, THE XXL PROVIDES
EXCEPTIONAL VALUE, A LIGHT-WEIGHT
CARCASS AND PROVEN SKILLS IN THE MUD.

- »» A prime choice for mud-built, big-bore 4X4s taking on the most extreme mud conditions.
- Includes the same great Mud Lite design but offers big size and 1.3-inch lugs for additional pull.
- Weighs up to 5 pounds less than most mud tires.

MUD LITE XXL

SIZE	PLY	P/N
30X10-12	6	560401
30X12-12	6	560419
30X10-14	6	560462
30X12-14	6	560463

MUD LITE SPORT

IMPROVED TRACTION FOR HIGH-PERFORMANCE SPORT ATVS WHEN TRAIL CONDITIONS DETERIORATE.

- »» Engineered with a unique carcass construction and an outstanding power-to-weight setup, the MUD LITE SP provides ample traction for high-speed runs and journeys through the thick stuff.
- »» Reduced unsprung weight means the sporty suspensions and high-grade shocks on ATVs can work in unison to supply the best possible ride.

MUD LITE SP

SIZE	PLY	P/N
20X11-9	6	560428
22X7-10	6	560429



MUD LITE XTR

EXTREME TERRAIN RADIAL - AN INDUSTRY FIRST WITH A THIRST FOR THE WORST CONDITIONS.

- »» Angled, grooved 1-1/8-inch deep lugs supply outstanding traction.
- »» Features our exclusive extended wear compound.
- »» Low-profile sidewall offers reduced flex and predictable handling during aggressive driving.
- »» 12-inch size, with more flex and enhanced flotation, is perfect for muddier conditions.
- »» 14-inch model is a superb all-around trail tire choice.

MUD LITE XTR

SIZE	PLY	P/N
25X8R-12	6	560398
25X10R-12	6	560399
26X9R-12	6	560387
26X11R-12	6	560388

MUD LITE XTR

SIZE	PLY	P/N
27X9R-12	6	560378
27X11R-12	6	560379
27X9R-14	6	560373
27X11R-14	6	560372



INNOVATION --- TRACTION --- PERFORMANCE

DEVELOPED SPECIFICALLY FOR THE **RUGGED DEMANDS OF TODAY'S SIDE-BY-SIDE VEHICLES.**

- »» Exceptionally durable, the Blackwater Evolution provides a smooth, stable and predictable ride.
- >>> Innovative, non-directional tread design that delivers awesome traction and precise handling.
- »» All new "TOUGH TREAD" rubber compound offers exceptional wear and abrasion resistance.
- »» Exclusive "SIDEWALL ARMOR™" protects the vulnerable shoulder area from penetration.

BLACKWATER EVOLUTION

FROM THE DESERT TO DENSE FOREST TRAILS, THE VERSATILE TERRACROSS R/T IS PROVEN FOR A WIDE VARIETY OF CHALLENGING CONDITIONS.

- »» Infused with XD (extreme duty) construction, Terracross R/T has an added sidewall ply and thicker tread rubber for better durability.
- >>> The interlocking tread pattern, wide footprint and handling makes this radial tire perfect for snow, mud and sand.
- »» Long-lasting tread life due to extended wear compound.
- »» Wrap-around shoulder lugs supply exceptional traction in ruts.

BLACKWATER EVOLUTION

SIZE	PLY	P/N
25X9R-12	8	6P0059
25X11R-12	8	6P0060
26X9R-12	8	6P0041
26X11R-12	8	6P0040
27X9R-12	8	6P0064
27X11R-12	8	6P0063
27X9R-14	8	6P0062
27X11R-14	8	6P0061
28X10R-12	8	6P0106
28X10R-14	8	6P0102
28X9R-14	8	6P0113
28X11R-14	8	6P0115
30X10R-12	8	6P0121
30X10R-14	8	6P0116
30X10R-15	8	6P0117
32X10R-15	8	6P0518
34X10R-17	8	6P0517



SIZE PLY P/N

1000		ALL MANUFACTURES AND ADDRESS.
25X8R-12	6	560423
25X10R-12	6	560424
26X9R-12	6	560475
26X11R-12	6	560476

	SIZE	PLY	P/N
S	26X8R-14	6	560420
	26X9R-14	6	560411
ź	26X10R-14	10%	6P0483
ĕ	26X11R-14	6	560412

TERREROSS R/T

TERRACROSS R/T

SIZE PLY	P/N
26X8R-14 6	560420
26X9R-14 6	560411
26X10R-14 6	6P0483
26X11R-14 6	560412



OUR 8-PLY RADIAL, BUILT WITH ITP'S "TOUGH TREAD" RUBBER COMPOUND FOR MAXIMUM CUT, PUNCTURE AND CHIP RESISTANCE.

- »» Overlapping tread pattern offers maximum contact.
- »» Advanced radial carcass design means a cushioned ride even in gnarly terrain.
- >>> The wrap-around lugs boost shoulder protection while also offering consistent tread edges as the tire wears.
- »» Our super-deep "RIM GUARD" setup supplies unmatched wheel lip protection.

BAJACROSS X/D

SIZE	PLY	P/N
25X8R-12	8	560505
25X10R-12	8	560506
26X9R-12	8	560563
26X11R-12	8	560564

SIZE	PLY	P/N
26X10R-14	8	560536
26X11R-14	8	560523
28X10R-14	8	560584
30X10R-14	8	6P0087



BAJACROSS SPORT

BAJACROSS SPORT OFFERS THE SAME STEADY PERFORMANCE AND TREAD PATTERN AS THE BAJACROSS X/D, BUT COMES IN A LIGHTER-WEIGHT PACKAGE AND 6-PLY CONSTRUCTION.

- »» Reduced tread depth plus lower tread-to-void ratio equals lighter weight, more ride comfort and precise handling.
- »» Extended wear rubber compound.
- »» Front/rear specific sizing.

BAJACROSS SPORT FRONT TIRE

SIZE	PLY	P/N
27X9R-14	6	6P0209
27X11R-14	6	6P0210

BAJACROSS SPORT REAR TIRE

	SIZE	PLY	P/N
	29X9R-14	6	6P0199
1	29X11R-14	6	6P0200



SAND STAR

THESE DUNE TIRES SUPPLY A GOOD MIX OF EXCELLENT CARVING FOR PRECISION CORNERING AND FLOTATION.

- »» The fronts, stamped with the ITP logo use a "dual rib" center design for remarkable steering control.
- »» Eight, 30mm paddles and eight "mini-scoops" provide many biting edges for huge traction and acceleration when pushed.

SAND STAR

SIZE PLY	P/N
19X6-10 2	5000516
21X7-10 2	5000416
22X8-10 2	5000426
18X9.50-8 (L) 2	5000526
18X9.50-8 (R) 2	5000536
20X11-8 (L) 2	5000436
20X11-8 (R) 2	5000446
20X11-9 (L) 2	5000496
20X11-9 (R) 2	5000506
20X11-10 (L) 2	5000456
20X11-10 (R) 2	5000466
22X11-10 (L) 2	5000476
22X11-10 (R) 2	5000486
26X9-12 2	5000786
26X11-12 (L) 2	5000766
26X11-12 (R) 2	5000776



DUME STAR (



THE AGGRESSIVE REAR PADDLES ARE REINFORCED AND DESIGNED AS DUAL-DEPTH LUGS TO SUPPLY ABUNDANT FORWARD TRACTION FOR CLIMBING BOWLS AND STRAIGHT-LINE SAND DRAGS.

- »» Specific front and rear tire designs provide the perfect balance for both control and traction.
- »» Larger 26-inch size is made for use on side-by-sides and 4x4 ATVs.
- »» The 2-ply rear tire is designed to smoothly propel vehicles across the sand thanks to its lightweight and flexible carcass.
- »» The front Dune Star provides light, accurate steering and a comfortable ride.

DUNE STAR

SIZE	PLY	P/N
26X9-12	2	500075
26X10-12	2	500067




FOR MORE INFO --- VISIT WWW.ITPTIRES.COM





· 2 mines



- Non-directional tread design enhances traction and control on smooth and slippery surfaces.
- »» 8-ply radial construction made from "TOUGH TREAD" rubber compound for increased puncture resistance.
- »» Super deep "RIM GUARD" offers the best wheel/lip protection in the business.
- »» Numerous sizes to meet your specific vehicle, horsepower, and terrain needs.

ULTRACROSS R SPEC

SIZE	PLY	P/N
27X9R-14	8	6P0492
27X10R-12	8	6P0251
27X10R-14	8	6P0252
28X10R-12	8	6P0253
28X10R-14	8	6P0254
29X9R-14	8	6P0317

ULTRACROSS R SPEC

ZE	PLY	P/N
9X11R-14	8	6P0318
9X10R-15	8	6P0323
0X10R-14	8	6P0083
0X10R-15	8	6P0255
2X10R-15	8	6P0256
4X10R-17	8	6P0512

ULTRACROSS R SPEC RACE TIRES

ULTRACROSS R SPEC RACE TIRES

SIZE	PLY	P/N
31 X9.5R-14	8	6P0515
31 X9.5R-15	8	6P0516



HOLESHOT ATR

THE ALL-TERRAIN RADIAL (ATR) SPLIT-LUG TREAD SUPPLIES PRECISION HANDLING AND RIDE COMFORT IN A DURABLE RADIAL DESIGN.

Flexible sidewalls absorb trail shock while the radial construction and 6-ply rating create for a long lasting ride.

HOLESHOT ATR

SIZE	PLY	P/N
270/60R-12	6	532067
205/80R-12	6	532070

HOLESHOT XCT

- »» Holeshot XCT is our tallest Holeshot tire, making it ideal for rocky desert terrain.
- »» Angled knob design provides increased side bite for faster cornering.

HOLESHOT XCT

SIZE	PLY	P/N
22X11-9	6	532038
22X11-10	6	537051
23X7-10	4	537047



IDEAL CHOICE FOR LOOSE OR LOAMY RACETRACK SURFACES.

- >>> The wider-spaced split-knob tread continuously supplies supreme traction while simultaneously offering selfcleaning efficiency.
- »» Tire won't elongate, as the carcass is reinforced to minimize stretching for an

improved footprint and traction.

HOLESHOT MXR6

SIZE	PLY	P/N
20X6-10	2	532021
18X10-8	2	532023
18X10-9	2	532024





INNOVATION --- TRACTION --- PERFORMANCE

KOLESKOT MC/STD

THE PATENTED SPLIT-KNOB DESIGN HAS PROVEN ITSELF IN COMPETITION AND ON TRAILS TO OFFER SUPREME TRACTION AND PRECISE CONTROL.

- »» Super tough and 6-ply-rated, this tire's puncture resistance makes it the perfect choice for desert riding and racing.
- »» Best-value Holeshot tire available.
- »» Beats all imitators one win at a time.

HOLESHOT K-D

THIS HEAVY-DUTY SPORT TIRE IS AS TOUGH AS THEY COME. THE 6-PLY TIRE USES THE HIGHLY RECOGNIZABLE AND FUNCTIONAL SPLIT-KNOB FRONT AND REAR FOR PRECISION CONTROL ON TRACKS AND TRAILS.

»» A wider stance helps scale ruts, while the stepped shoulder knobs enhance side biting action.

»» H-D make-up includes stronger sidewalls for improved puncture resistance.

HOLESHOT H-D

SIZE	PLY	P/N
22X7-10	6	532011
20X11-9	6	532012

KOLESHOT GRCC

PURPOSELY BUILT TO EXCEL IN THE ROUGH-AND-TUMBLE, THIS HOLESHOT OFFERS THE ULTIMATE MIX OF HANDLING, GRIP AND DURABILITY.

- >>> Light steering effort and predictable control.
- >>> The split-knob "X" design offers huge traction, self-cleaning and precision cornering.
- »» Special extended wear compound resists punctures.

HOLESHOT GNCC

SIZE	PLY	P/N
21X7-10	6	53202
20X10-9	6	53202





HOLESHOT XC

SIZE	PLY	P/N
20X11-9	6	532034
22X7-10	4	532045

HOLESHOT STD

151/4E	وحدوس	P/N
20X11-8	4	532031
20X11-9	4	532032
20X11-10	4	532035
21X7-10	2	532040

QUADCROSS_MX

DESIGNED FOR OPTIMIZED TRACTION CONTROL AND PRECISE STEERING, QUADCROSS MX IS THE NUMBER 1 **CHOICE ON HARD-PACKED DIRT.**

- »» Reconfigured tread design boosts traction and steering, which are two key handling attributes for those serious about ATV motocross.
- »» Unique shoulder profile improves stability and side bite.

QUADCROSS MX2 (FRONT) QUADCROSS MX PRO LITE

SIZE	PLY	P/N
20X6-10	2	6P0120
20X6-10 DEE	P LUG™	6P0147

SIZE	PLY	P/N
18X10-8	2	560533
		200



TURF TAMER CLASSIC MX

RECOGNIZED AROUND THE GLOBE AS THE MOST SUCCESSFUL REAR SPORT TIRE DESIGN.

- »» The lightweight carcass was redesigned to withstand the power/ torque and precision demands of modern four-stroke ATVs.
- »» The Classic MX is the industry's first pre-grooved ATV motocross tire, allowing for easy traction and control in loamy soil.

TURF TAMER CLASSIC MX

SIZE	PLY	P/N
18X10-8	2	6P0053



SD SINGLE BEADLOCK

SUPER-STRONG, LIGHTWEIGHT **BEADLOCK WHEEL WITH OUR EXCLUSIVE "ROCK ARMOR™"** REINFORCED INNER WHEEL LIP.

- »» Allows more inner clearance between the wheel and hub compared to Dual Beadlock.
- »» This aluminum wheel also backed by our Limited Lifetime Warranty.

- »» Milled and polished versions offered in the 14" and 15" sizes.
- »» 12" is avaialble in polished and Black Ops finishes.

SD SINGLE BEADLOCK

SIZING:	12 X 7
-	14 X 7
	15 X 7

SO DUAL BEADLOCK



AN ALUMINUM DUAL BEADLOCK WHEEL -WITH EXCEPTIONAL STRENGTH.

- »» Offers "TOTAL TIRE SECURITY" (TTS) no matter what happens to the tire, it will stay attached on the wheel at both the inner and outer beads.
- »» Features ITP's "ROCK ARMOR™" inner wheel lip for protection against rocks and debris.
- »» Backed by the industry's first Limited Lifetime Warranty.
- »» Available in polished and Black Ops finishes

SD DUAL BEADLOCK

SIZING: 14 X 7





HURRICARE STORM SERIES

THE FIRST WHEEL IN ITP'S STORM SERIES
LINE, THE HURRICANE OFFERS EXCEPTIONAL
STRENGTH IN A MODERN, STAND OUT DESIGN.

- »» Eight sets of interlaced wheel spokes deliver unmatched structural integrity.
- »» Manufactured from a super-light, superior strength aluminum alloy, featuring the ITP "ROCK ARMOR™" inner wheel lip for maximum sidewall protection.
- »» 1,200-pounds load capacity.
- »» Backed by ITP's Limited Lifetime Warranty.
- »» Ships with center cap and chrome valve stem pre-installed.

HURRICANE

SIZI	NG:	12X7	
		14X7	
		15X7	
3 3	3	16X7	
		17X7	71
_			

ROCK ARMOR™





TSURAMI STORM SERIES

A MODERN TAKE ON THE CLASSIC, 8-SPOKE DESIGN - FOR UTVS, ATVS AND SXS'S.

- »» Available in two versions: Simulated Beadlock and Authentic Beadlock.
- »» 1,200-pounds load rating!
- »» Features ITP's "ROCK ARMOR™" inner wheel lip for maximum protection against rocks and debris. Simulated Beadlock also features "ROCK ARMOR™" protection on the outer wheel lip.
- »» Striking flat black finish with milled accents and window edges
- »» Ships with center cap and chrome valve stem pre-installed.
- »» Beadlock version comes with lock ring and hardware.
- » Backed by ITP's Limited Lifetime Warranty.

TSUNAMI

SIZING: 14X7

15X7

ROCK ARMOR





TORNADO STORM SERIES

THE POWERFUL TORNADO WHEEL SPINS CIRCLES AROUND THE COMPETITION WITH ITS HEAD-TURNING DESIGN, **OUTSTANDING LOAD RATING AND** UNBEATABLE DURABILITY.

- »» Stylish eight star-spoke matrix center, beveled edges and simulated rivets.
- »» Huge 1,200-pound load rating.
- »» Industry-exclusive "ROCK ARMOR™" inner wheel lip for unequalled structural integrity.
- »» Backed by ITP's Limited Lifetime Warranty.
- »» Ships with center cap and chrome valve stem pre-installed.

TORNADO

SIZING:	14X7
	15X7
A TOTAL	17X7







INNOVATION --- TRACTION --- PERFORMANCE

\$\$216

THE SS216, COMPLETE WITH OUR PROMISE
OF A LIMITED LIFETIME WARRANTY
PROVIDES SUPERIOR DURABILITY,
EXCEPTIONAL PERFORMANCE AND
HEAD-TURNING GOOD LOOKS.

- »» Features "ROCK ARMOR™" reinforced inner and outer wheel lip to resist damage.
- >>> 1,000-pounds load rating on both sizes ideal for modern UTVs.
- »» Available in blacked-out "Black Ops" finish.
- »» Matching SS wheel cap is included.

SS216

SIZING: 12X7

ROCK ARMOR™









A-6 PRO SERIES & A-6 PRO SERIES GP.190

MADE FROM 6061 HEAT-TREATED **ALUMINUM, THE A-6 LINE OF WHEELS** ARE LIGHTWEIGHT YET EXCEPTIONALLY STRONG.

- »» The double-rolled lip construction on the GP improves durability and protection against rocks and harsh hits.
- »» GP model has a tapered, stainless steel lug nut insert on sizes using the 4/110 and 4/144 bolt patterns. This provides a more secure fit on OEM wheel hubs that use tapered lug nuts.

A-6 PRO SERIES

	26
SIZING:	8X7
	8X8.5
	9X9
1	10X5
1	10X8

A-6 PRO SERIES GP

SIZING: 9X8 10X5



A-6 PRO SERIES BAJA .190

THE PRO SERIES BAJA 6061 HEAT-TREATED ALUMINUM WHEEL HAS BOTH INNER AND OUTER REINFORCING RINGS THAT ARE ROLLED IN - NOT WELDED.

- »» An ideal performance wheel designed to excel in demanding conditions.
- »» When you compare the cost, strength, and weight of the Pro Series Baja, you won't find a better wheel for the price.

A-6 PRO SERIES BAJA

SIZING: 9X9 10X5





A-6 TRAC-LOCK .190

THE TRAC-LOCK ALUMINUM WHEEL (6061) HAS A CLEAN, COMPETITION-READY BEADLOCK RING FOR SUPERB DURABILITY.

- »» The beadlock ring secures the tire to the wheel and strengthens the wheel at the same time.
- »» A long-lasting, precision-formed outer bead retention ring is secured with tough, recessed hex bolts.
- »» The 4/110 and 4/144 bolt patterns utilize tapered, stainless steel lug nut inserts.

A-6 TRAC-LOCK		
SIZING:	8X8	
368	9X8	

10X5



A-6 PRO MOD

THE POLISHED PRO MOD IS AS ATTRACTIVE AS IT IS FUNCTIONAL.

- »» Lighter than the competition, reducing un-sprung weight for those looking for a performance edge.
- »» The classic modular styling and angled outer face add strength but not weight.
- »» A double-rolled lip improves tire mounting and durability.
- »» Tough .190 wall construction

A-6 PRO MOD

SIZING: 12X7 14X7



ABOUT ITP

Since 1982, ITP has been the world's #1 ATV/UTV aftermarket tire and wheel source. The premier ITP products are developed utilizing an experienced staff of engineers, designers and technicians at its two American tire facilities in Clinton, Tennessee, and Jackson, Tennessee, to develop award-winning tire-and-wheel designs for virtually all ATVs and side-by-side vehicles. Numerous outlets distribute ITP tires across the United States and in more than 25 countries worldwide. ITP is a registered trademark of The Carlstar Group, LLC. For a free, full-color ITP catalog, call toll-free: 1-800-889-7367. Tech questions call: 1-909-390-1905. Visit: www.itptires.com

ABOUT THE CARLSTAR GROUP

The Carlstar Group is headquartered in Franklin, Tennessee, and is a global manufacturer of original equipment and aftermarket specialty tires and wheels for the agriculture, construction, outdoor power equipment, powersports, high-speed trailer and flat free/manual markets. The diverse portfolio of solutions are offered under several leading brands including Carlisle® tires and wheels, ITP® tires and wheels, as well as Cragar®, Black Rock® and Unique® wheels and Marastar® flat free and manual tires. The Carlstar Group employs 3,000 associates in 16 facilities located in five countries. The Carlstar Group has created a culture of converting great ideas into advanced products and has a legacy of excellence in product innovation, quality, and customer service. For more about The Carlstar Group, visit www.carlstargroup.com

INNOVATION --- TRACTION --- PERFORMANCE

WE VALUE YOU AS A CUSTOMER, AND ARE DEDICATED TO ALWAYS IMPROVING YOUR OFF-ROAD RIDING EXPERIENCE. ITP® REMAINS THE WORLD LEADER IN ATV/UTV TIRES AND WHEELS. WE WILL CONTINUE TO DELIVER THE FINEST ATV, UTV AND SXS TIRES AND WHEELS IN THE INDUSTRY. WE'RE PLEASED TO ADHERE TO YOUR STRICT STANDARDS AND PROMISE TO MEET YOUR EXPECTATIONS.

TO ORDER, PLEASE SEE YOUR LOCAL ATV/UTV DEALER

Dealers/Distributors: For a complete application guide, please call ITP or visit www.itptires.com today!

For a free ITP catalog, call: 800.889.7367

Tech Questions call: 909.390.1905









FOR MORE INFORMATION. VISIT ITPTIRES.COM

Photos by and courtesy of Enrico Pavia, Harlen Foley/ATVRIDERS.COM, Jon Crowley/UTV Guide.net, Carey Bohn / MAINSTREAM MEDIA GROUP, INC., Jerrod Kelley/ KELLEY COMMUNICATIONS LLC, UTV UNDERGROUND.COM, Brian Fisher, Nick Vazquez/Cognito Motorsports, & Moose Racing, DIRT TRAX magazine.

© The Carlstar Group, LLC. All rights reserved.